

SAFETY DATA SHEET

11561 Westminster Ave Garden Grove, CA 92843 Office: 714-554-8880 Fax: 714-554-8887

US Hazmat Emergency: 800-373-7542 Intl Hazmat Emergency: +1-484-951-2432

SECTION 1. IDENTIFICATION

Brand: Cre8tion

Trade Name:

- Soak Off Gel Mermaid 0.5oz
- Soak Off Gel Cat Eye Chameleon 0.5 oz
- Soak Off Gel Cat Eye Glaze 0.5 oz
- Soak Off Gel Cat Eye Jade 0.5 oz
- Soak Off Gel Cat Eye Smoke 0.5 oz.
- Soak Off Gel Jewel 0.5 oz
- Soak Off Gel Candy Shop 0.5 oz
- Soak Off Gel Platinum After Party Gel 0.5 oz
- Soak Off Gel Stone 0.5 oz
- Soak Off Gel Detailing Nail Art 0.33 oz
- Soak Off Gel Rose Gold 0.5oz

Product Number:

- Mermaid 45 Colors (#01: 0916-0426, ...)
- Cat Eye Chameleon 12 Colors (#01: 0916-0571, ...)
- Cat Eye Glaze 12 Colors (#13: 0916-0462, ...)
- Cat Eye Jade 12 Colors (#25: 0916-0828, ...)
- Cat Eye Smoke 12 Colors (#37: 0916-1824, ...) Rose Gold 18 Colors
- Jewel 24 Colors (#01: 0916-0474, ...)

- Candy Shop 45 Colors (#01: 0916-0498, ...)
- Platinum After Party 36 Colors (#01: 0916-0644, ...)
- Stone 12 Colors (#01: 0916-0727, ...)
- Detailing Nail Art 36 Colors (#01: 0916-1236, ...)

Address: 11561 Westminster Ave, Garden Grove, CA 92843

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Physical state	Clear Liquid
Color	Yellowish
Odor	Acrylate Resin
PH	7
Density (g/m3)	1.05
Personal Protection	See Section 8

The products contain acrylic resin which may cause skin, eye and mild respiratory tract irritation.

Accidental ingestion: Harmful for health

Accidental contact in eye: Stimulated

Inhalation: Short and long-term contact may stimulate the respiratory tract.

Skin contact: Excess or repeating contact with glue, may stimulate skin or others with skin allergies

Sight contact: First contact or long-term short distance contact may stimulate eyes

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

INCI NAME	CAS	%
ACRYLATES COPOLYMER	25212-88-8	60%-70%
2-Hydroxypropyl methacrylate(HPMA)	27813-02-1	10%-20%
TRIMETHYLBENZOYL	75980-60-8	1%-5%
DIPHENYLPHOSPHINE OXIDE		
May include one or more of the		
following:		
CI 45380	17372-87-1	
CI 17200	3567-66-6	
CI 15850	5858-81-1	
CI 77491	1309-37-1	
CI 15985	2783-94-0	
CI 77492	51274-00-1	
CI 77007	57455-37-5	
CI 77510	14038-43-8	
CI 77742	10101-66-3	
CI 77289	1308-14-1	
CI 77499	12227-89-3	
CI 77891	13463-67-7	
CI 77820	7440-22-4	

SECTION 4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If symptoms develop and persist, get medical attention.

Skin contact: Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and shoes. Wash clothing before reuse. Get immediate medical attention if symptoms or allergic reaction occur.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

Ingestion: Do not induce vomiting. Keep individual calm. Get medical attention immediately.

SECTION 5. FIRE-FIGHTING MEASURES

Flash point: 105°C

Auto ignition temperature: not available

Flammable/blast minimum levels: not available

Flammable blast maximum levels: not available

Fire extinguishing way: foam fire extinguisher and dry-ice fire extinguishers

Special fire prevention measures: none

Unusual fire or explosion: uncontrollable polymerization at high temperature can cause explosion or crack of the bottle.

Harmful products of combustion: Oxides of carbon. Oxides of sulfur. Oxides of nitrogen.

Oxides of phosphorus. Other irritating organic gas.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions: Remove sources of ignition. Prevent product from entering drains or open waters.

Clean-up methods: Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent. Store in a partly filled, closed container until disposal.

SECTION 7. HANDLING AND STORAGE

Handling: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat, freeze, spark, or spray. Use only with adequate ventilation. Refer to Section 8. Use only in area provided with appropriate exhaust ventilation.

Storage: For safe storage, keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. Do not pour back and dispensed gel back into container.

Incompatible products: Refer to Section 10.

Shelf Life: 12 months

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Accidental ingestion protection: paste mark like "Industrial Materials" or "Fasting" or other on the obvious place of the package.

Engineering controls: Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

Respiratory protection: Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be used.

Skin protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves.

Eye/face protection: Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full face shield.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Clear Liquid
Color	Yellowish
Odor	Acrylate Resin
PH	7
Density (g/m3)	1.05
Personal Protection	See Section 8

SECTION 10. STABILITY AND REACTIVITY

Stability: may affect the stability in environment that exposure to the light, high temperature.

Storage temperature: 8 - 28 °C

Hazardous decomposition products: Oxides of carbon. Oxides of sulfur. Oxides of nitrogen.

Oxides of phosphorus. Other organic gas

Incompatibility: Strong oxidizing agents. Strong Acids & Alkaline.

SECTION 11. TOXICOLOGICAL INFORMATION

This product is free of solvent, carcinogenic material. The general damage is contact stimulation; excessive or repeated contact may stimulate skin; at first and over long-term short distance contact may stimulate eyes.

The main irritant is acrylic esters.

This product is a low toxicity, LD50>3000mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Avoid directly pouring into the drains of water or sewer before curing. It is a typical polymer after curing, which has no direct damage to environment

SECTION 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to your regional and local governmental regulations.

SECTION 14. TRANSPORT INFORMATION

This product does not contain the international confine of dangerous substances

DOT: Non-Hazardous For Transport: This Substance Is Considered To Be Non-Hazardous For Transport.

RID/ADR: Non-Hazardous For Transport: This Substance Is Considered To Be Non-Hazardous For Transport.

IATA: Non-Hazardous For Air TransportIMO: Non-Hazardous For Sea Transport

SECTION 15. REGULATORY INFORMATION

This product applies with regulations; do not belong to the security permission production products.

Safety Statements: Keep out of the reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical.

SECTION 16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

DISCLAIMER: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no way shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising from using the above information.